GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Water Resources Department – Industrial Water Supply – Renewal of permission for drawal of **41KLD (0.0168 cusecs) or 0.00053 TMC per annum** of water from Yenamadurru Channel i.e from pipe No 6/7 at Km 2.103 LB of Yenamadurru Channel **for a further period of 5 (Five) years with effect from 28-09-2020 to 27.09.2025,** to M/s Lakshmi Srinivasa Ice Industries, Yenamadurru(V) of Bhimavaram(M), W.G. District - Accorded - Orders – Issued.

WATER RESOURCES (REFORMS) DEPARTMENT

G.O.Ms.No.51 **Dated:08.06.2023**
Read the following:-

1. G.O. Ms. No. 202 of Ind.& Commerce Dept., Dt: 06-12-2014.
2. Govt. Memo. No. 2772/Reforms/A2/2015-1, dt: 30.09.2015.
3. Proceedings of the Chief Engineer, GDS., Dowlaiswaram No. AEE1/249 E, dt. 28.09.2019.
4. G.O.Ms.No.1, Ind. & Com. (P&I) Dept., dt. 12.01.2022.
5. From the ENC (I), WRD, Lr. No.ENC(I)/EE/ DEE1/AEE2/IWS (Lakshmi Srinivas Ice Industries) Dt:03-04-2023.

****

O R D E R:

In the letter 5th read above, the Engineer-in-Chief, WRD., has stated that the Chief Engineer, Godavari Delta System, Dowlaiswaram has accorded water drawl permission to M/s Lakshmi Srinivasa Ice Industries, Yenamadurru(V) of Bhimavaram(M) to draw **41 KLD(0.0168 cusecs) or 0.00053 TMC per annum** of water from Yenamadurru Channel i.e from pipe No 6/7 at Km 2.103 LB of Yenamadurru Channel for a period of 1 year i.e up to 27-09-2020 subject to certain terms & conditions vide his Proceedings 3rd read above and the said original permission was expired on 27.09.2020.

2. Further the Engineer-in-Chief (Irrigation), Water Resources Department, has recommended the proposal based on the report of the Chief Engineer, Godavari Delta System, Dowlaiswaram and requested the Government to issue necessary orders for according renewal permission to M/s Lakshmi Srinivasa Ice Industries, Yenamadurru(V) of Bhimavaram(M), W.G. District to draw **41 KLD (0.0168 cusecs) or 0.00053 TMC per annum** of water from Yenamadurru Channel i.e from pipe No 6/7 at Km 2.103 LB of Yenamadurru Channel **for a further period of 5 (Five) years with effect from 28-09-2020 to 27.09.2025,** subject to the following terms and conditions:

1) The water can be spared subject to the availability of water in the Yenamadurru Channel.
2) The entire cost of construction of intake well, pump house, pipelines excavation etc., should be borne by the industry only.
3) Water meters or suitable measuring devices should be installed by the industry at their own cost to measure the water consumed and should be made available to the Departmental authorities and the representatives of the users shall be present at all times of inspection. The water meter shall be periodically calibrated and kept sealed. The period of calibration will be specified by the Department.
4) The industry should pay the water rate / royalty charges at the existing rates as fixed by the Govt. The water royalty charges may be revised by the Government from time to time and the industry shall have to pay the

(Contd...p.2)

revised water rates as fixed by the Government from time to time. In case of failure to pay water rate/royalty, the permissions to draw water shall stands cancelled.

5) The industry shall obtain the prior concurrence from concerned Departments for laying pipelines and for crossing etc., wherever necessary.
6) No field bodhi or pipeline shall be taken through or along with Government land without approval of Government and if permission accorded by the Government the lease amount should be paid as fixed by Government by the industry only.
7) The industry should make their own arrangements to dispose the treated effluents as per norms of A.P. Pollution Control board in their premises only and should obtain prior permission if any needed from Government to dispose treated effluents in their natural sources. Necessary clearance from the A.P. Pollution Control Board is to be obtained in this regard by the firm before drawl of water from the source.
8) The Water Resources Department reserves the right for cancellation of the permission without assigning any reasons thereof.
9) The Water Resources Department is no way responsible for non-supply of water due to any reasons.
10) The industry must acquire the private land for installation of pumping arrangements. If the industry proposes to utilize Government land for installation of pump house, necessary permissions is to be obtained from the Government for leasing the land and the lease amount fixed is to be paid by the industry.
11) The industry must strengthen the river margin 100m from the toe to the River Flood Bank.
12) The Industry has to lay CC(1:4:8) before laying the pipeline and CC(1:2:4) over the pipeline refill the pipeline with proper soils and consolidate the banks as directed by the Department.
13) The Industry has to construct CC walls to avoid leakage at pipeline crossing.
14) The water drawn from the Yenamadurru Channel should utilized for the purpose for which the permission is granted.
15) The Industry should follow the Revenue Board Standing Orders.
16) The Industry shall pay security deposit at 5% on 10 years water charges for which permission is granted.
17) The Industry shall pay one year water charges as advance and any amount due to the Department before entering into agreement.
18) The Industry has to conclude agreement with the Officers concerned of Water Resources Department.
19) The Industry shall abide by R.C.Act-1884 and any other conditions laid down by the Government Department from time to time.
20) The Industry should make its own arrangements for summer storage in their premises only and to conclude agreements accordingly.
21) The Industry has to pay the water charges for the estimated quantity in advance at the start of the financial year i.e., before 10th April every year as per BSO.
22) Under any circumstances, the consumptive utilization should not exceed the quantum of water allotted by the Government.
23) The proposed drawl for this plant should not affect Lower Riparian Rights (LRR) and Upper Riparian Rights(URR) in any manner. The permission does not confer any riparian right to the industry.
24) The Department is no way responsible for any damages that may occur to the off take point due to floods in Yenamadurru Channel or on an account of any other reasons.

(Contd...p.3)

25) Non-Adherence to any of the above condition by the industry will entail cancellation of the permission.
26) The Firm has to produce the relevant records for Departmental verification at the end of each quarter periodically.
27) The concerned Executive Engineer will be responsible for enforcing the conditions.
28) The firm has to obtain separate permission duly enclosing the drawings of pipelines and lease amounts to be paid for the Government Land to be leased as per the prevailing norms.

3. After careful examination of the matter, Government hereby accord renewal permission to M/s Lakshmi Srinivasa Ice Industries, Yenamadurru(V) of Bhimavaram(M), W.G. District for drawl of **41KLD (0.0168 cusecs) or 0.00053 TMC per annum** of water from Yenamadurru Channel i.e from pipe No 6/7 at Km 2.103 LB of Yenamadurru Channel **for a further period of 5 (Five) years with effect from 28-09-2020 to 27.09.2025,** subject to the terms and conditions as mentioned at para-2 above.

4. The Engineer-in-Chief (Irrigation), Water Resources Department, Vijayawada, the Chief Engineer, Godavari Delta System, Dowlaiswaram and the Collector & District Magistrate of W.G. District shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Engineer-in-Chief (Irrigation), Water Resources Department,
Andhra Pradesh, Vijayawada.
The Chief Engineer, Godavari Delta System, Dowlaiswaram.
The Collector & District Magistrate, W.G. District.
The Managing Director, A.P. Pollution Control Board, A.P, Vijayawada.
M/s Lakshmi Srinivasa Ice Industries, Yenamadurru(V) of Bhimavaram(M), W.G. District.

Copy to:
The P.S. to the Hon'ble Minister for Water Resources Department.
The P.S. the Prl. Secretary to Government, Water Resources Department.
The P.S. the Spl. Chief Secretary to Government, Industries Department.
SF/SC.

//FORWARDED::BY ORDER//

P.K. Sharma

SECTION OFFICER